

Courtyard COLLECTION[®]

WINDSTORM™ WIND LOAD-RATED GARAGE DOORS



Model 920 Almond/White finish, Stockbridge windows, decorative hardware

SERIES **7565**

Featuring beautiful carriage house designs and durable construction to enhance your home's curb appeal and protect it from nature's fury.

- Stringently tested to meet wind load requirements
- Available with impact rated options
- Reinforced hardware throughout the door
- Designed to meet local building codes – when ordered with proper wind load options – including Miami-Dade County
- Foamed-in-place polyurethane insulation – with an R-value of 12.12* can improve the thermal efficiency of your garage space, reduce street noise and make the door operate more quietly.
- Durable overlays are specially treated to resist termites, weather and fungal decay.
- Joint seals – snug-fitting tongue-and-groove section joints reduces wind and weather from entering the garage.

*Overhead Door Corporation uses a calculated door section R-value for our insulated doors. The higher the R-value, the greater the insulating properties.

The Genuine. The Original.




Courtyard Collection® Series 7565

Select your door panel style


1 Choose a panel style:

Panels below shown in square and arched top.


Model 910




Model 911




Model 912




Model 913




Model 914




Model 915




Model 916




Model 917




Model 918



Model 919



Model 920



Series	Wood grain trim	Polyurethane insulation	R-value ⁴	Overlay thickness	Door thickness	Commercial track	Residential track	Ball bearing rollers with nylon tires	Warranty
7565	•	•	12.12	3/8"	1 3/8"	Optional	•	•	Limited lifetime

⁴ R-value: Overhead Door Corporation uses a calculated door section R-value for our insulated doors. The higher the R-value, the greater the insulating properties.

Building code/agency requirements

Exposure B	Door width up to	Wind speeds/Design pressures MPH ¹ /MPH ¹ /PSF design pressure	Impact resistant	Glass available	
				Standard	Impact
Series 7565	9'	90 - 200 mph ¹ / 115 - 255 mph ² (+12.80/-14.80) - (+64.00/-72.00)	Yes ³	Long panel ³	Long panel ³
	16'	90 - 170 mph ¹ / 115 - 225 mph ² (+12.40/-13.80) - (+46.00/-52.00)	Yes ³	Long panel ³	Long panel ³
	18'	90 - 170 mph ¹ / 115 - 225 mph ² (+12.40/-13.80) - (+46.00/-52.00)	Yes ³	Long panel ³	Long panel ³

¹ Above wind speeds based on ASCE 7-05 are applicable for enclosed structures with an importance factor of 1.0, mean roof height of 30', and assume a maximum of 2' of the door is located within the end zone of a structure. The above wind speeds listed as a guide only. Wind speed is only one of many factors that determine the design pressure on a structure. The design and location of the structure can have a great effect on the loads placed on the garage door. Consult a registered architect or structural engineer to determine what design pressure is appropriate for your application.

² Above wind speeds based on ASCE 7-10 Category II structure with a mean roof height of 30' and a maximum of 2' of the door is located within the end zone of a structure. The above wind speeds listed as a guide only. Wind speed is only one of many factors that determine the design pressure on a structure. The design and location of the structure can have a great effect on the loads placed on the garage door. Consult a registered architect or structural engineer to determine what design pressure is appropriate for your application.

³ Options available on select models.

• Wind load drawings available upon request.

Wind speeds listed in this guide are provided for reference purposes only.

In ALL cases the local building authority is the sole and final determiner of the structural and safety requirements, and suitability of the garage door.

Courtyard Collection® Series 7565

Customize your door with texture, color, windows and decorative hardware

2 Choose a texture and color:

Overlay texture options



Wood grain - standard



Smooth - optional

Color options



White/White



Almond/White



Taupe/White



Brown/White



Black/White

Door overlays and window trim are available in the colors shown or can be painted to match your home's decor (additional charges may apply). Actual colors may vary from brochure due to fluctuations in printing process. Always request a color sample from your Overhead Door Distributor for accurate color matching.

3 Choose a window style:

Contact your Overhead Door Distributor to determine window availability and your local building official for code requirements.

Non-impact windows



Clear Long



Stockbridge



Stockton



Stockton Arch



Somerton



Wyndbridge

Impact windows



Clear Long Impact



Stockbridge Impact



Stockton Impact



Stockton Arch Impact




Somerton Impact




Wyndbridge Impact

4 Choose your hardware:

Two Spear pull handles and one bottom lift handle are included for single car doors. Double car doors come with two sets of decorative hardware (four Spear pull handles and two bottom lift handles). See website for additional hardware options.



Spear



Transform Your Home with the DoorView® visualization tool

Go to overheaddoor.com to try our on-line interactive software tool that lets you visualize what your home would look like with a garage door from Overhead Door. Contact your local Overhead Door Distributor for more information and to receive a quote.



Before



After

Limited Warranty

Courtyard Collection® garage doors are backed by up to a limited lifetime non-transferable warranty.*
* Warranties vary by model, and are available upon request. See full text of warranty for details.

The Genuine. The Original.

Since 1921, Overhead Door has not only raised the standards of excellence for the industry – we’ve created them. Overhead Door created the first upward-acting door in 1921 and the first electric garage door opener in 1926.

Today, our network of over 400 Overhead Door Distributors are still leading the way with innovative solutions and unmatched installation, service and support. So look for the Red Ribbon. It’s your guarantee that you’re getting the genuine, the original Overhead Door.

SOLD AND DISTRIBUTED BY:



The Genuine. The Original.



2501 S. State Hwy. 121 Bus., Suite 200, Lewisville, TX 75067
1-800-929-DOOR • sales@overheaddoor.com
www.overheaddoor.com